

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	745	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vdd or "V.sub.dd")	USPAT; US-PGP UB	2004/09/23 12:58
2	BRS	L2	1266	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vcc or "V.sub.cc")	USPAT; US-PGP UB	2004/09/23 12:17
3	BRS	L3	7674	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (power adj (source or supply))	USPAT; US-PGP UB	2004/09/23 12:18
4	BRS	L4	770	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (voltage adj (source or supply))	USPAT; US-PGP UB	2004/09/23 12:18
5	BRS	L5	848	(1 or 2 or 3 or 4) and 327/\$.ccls.	USPAT; US-PGP UB	2004/09/23 12:19
6	BRS	L6	1482	(1 or 2 or 3 or 4) and 365/\$.ccls.	USPAT; US-PGP UB	2004/09/23 12:20
7	BRS	L7	340	(1 or 2 or 3 or 4) and 323/\$.ccls.	USPAT; US-PGP UB	2004/09/23 12:19
8	BRS	L8	226	5 and (6 or 7)	USPAT; US-PGP UB	2004/09/23 12:19
9	BRS	L9	45	(1 or 2 or 3 or 4) same (Schmitt or Schmidt or hysteresis)	USPAT; US-PGP UB	2004/09/23 12:26
10	BRS	L11	2329	327/142,143,198,205,513.ccls.	USPAT; US-PGP UB	2004/09/23 12:27
11	BRS	L12	678	323/901,907.ccls.	USPAT; US-PGP UB	2004/09/23 12:27
12	BRS	L13	1501	365/227,228,229.ccls.	USPAT; US-PGP UB	2004/09/23 12:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L14	416	(5 or 6 or 7) and (11 or 12 or 13)	USPAT; US-PGP UB	2004/09/23 12:59
14	BRS	L15	62	8 and 14	USPAT; US-PGP UB	2004/09/23 12:29
15	BRS	L16	62	15 not 9	USPAT; US-PGP UB	2004/09/23 12:38
16	BRS	L17	164	8 not (9 or 16)	USPAT; US-PGP UB	2004/09/23 12:39
17	BRS	L18	3945	(sleep\$3 or idl\$3 or standby or stand-by or stby) with threshold	USPAT; US-PGP UB	2004/09/23 12:58
18	BRS	L19	146	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vth or "V.sub.th")	USPAT; US-PGP UB	2004/09/23 12:58
19	BRS	L20	266	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vt or "V.sub.t")	USPAT; US-PGP UB	2004/09/23 12:58
20	BRS	L21	21	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vtn or "V.sub.tn")	USPAT; US-PGP UB	2004/09/23 12:58
21	BRS	L22	20	(sleep\$3 or idl\$3 or standby or stand-by or stby) with (Vtp or "V.sub.tp")	USPAT; US-PGP UB	2004/09/23 12:58
22	BRS	L23	121	(18 or 19 or 20 or 21 or 22) and (11 or 12 or 13)	USPAT; US-PGP UB	2004/09/23 12:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	81	(Schmitt or Schmidt or hysteresis) same (POR or POK or PWROK or "PWR.sub.OK" or PWRGOOD or "PWR.sub.GOOD")	USPAT; US-PGP UB	2004/09/11 13:45
2	BRS	L2	29	(Schmitt or Schmidt or hysteresis) same (poweron or powerup or turnon)	USPAT; US-PGP UB	2004/09/11 13:45
3	BRS	L3	308	(Schmitt or Schmidt or hysteresis) same ((power or turn\$3) adj (on or up))	USPAT; US-PGP UB	2004/09/11 13:45
4	BRS	L4	405	1 or 2 or 3	USPAT; US-PGP UB	2004/09/11 11:57
5	BRS	L5	89	4 and 327/\$.ccls.	USPAT; US-PGP UB	2004/09/11 12:40
6	BRS	L6	15	4 and 323/\$.ccls. not 5	USPAT; US-PGP UB	2004/09/11 12:43
7	BRS	L7	33	4 and 365/\$.ccls. not (5 or 6)	USPAT; US-PGP UB	2004/09/11 12:43
8	BRS	L8	40	(Schmitt or Schmidt or hysteresis) same (PU or PUR or VPU or "V.sub.PU" or VPUR or "V.sub.PUR")	USPAT; US-PGP UB	2004/09/11 13:46
9	BRS	L9	35	8 not (5 or 6 or 7)	USPAT; US-PGP UB	2004/09/11 12:50
10	BRS	L10	240	4 and voltage\$1 not (5 or 6 or 7 or 9)	USPAT; US-PGP UB	2004/09/11 12:51
11	BRS	L11	249	4 same voltage\$1	USPAT; US-PGP UB	2004/09/11 12:51
12	BRS	L12	140	10 and 11	USPAT; US-PGP UB	2004/09/11 12:58

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	2327	327/142,143,198,205,513.ccls.	USPAT; US-PGP UB	2004/09/11 12:59
14	BRS	L15	677	323/901,907.ccls.	USPAT; US-PGP UB	2004/09/11 12:59
15	BRS	L16	1495	365/227,228,229.ccls.	USPAT; US-PGP UB	2004/09/11 13:00
16	BRS	L17	669	(13 or 15 or 16) and (Schmitt or Schmidt or hysteresis)	USPAT; US-PGP UB	2004/09/11 14:39
17	BRS	L18	45	17 and (POR or POK or PWROK or "PWR.sub.OK" or PWRGOOD or "PWR.sub.GOOD")	USPAT; US-PGP UB	2004/09/11 14:22
18	BRS	L19	10	17 and (poweron or powerup or turnon)	USPAT; US-PGP UB	2004/09/11 14:22
19	BRS	L20	114	17 and ((power or turn\$3) adj (on or up))	USPAT; US-PGP UB	2004/09/11 14:23
20	BRS	L21	5	17 and (PU or PUR or VPU or "V.sub.PU" or VPUR or "V.sub.PUR")	USPAT; US-PGP UB	2004/09/11 14:23
21	BRS	L22	5	17 and (PEN or "P.sub.EN" or PWREN or "PWR.sub.EN")	USPAT; US-PGP UB	2004/09/11 14:23
22	BRS	L23	87	(18 or 19 or 20 or 21 or 22) not (5 or 6 or 7 or 9)	USPAT; US-PGP UB	2004/09/11 13:03
23	BRS	L24	210	(Schmitt or Schmidt or hysteresis) same ((one or single) adj (threshold or Vt or "V.sub.t"))	USPAT; US-PGP UB	2004/09/11 13:29
24	BRS	L25	0	(Schmitt or Schmidt or hysteresis) same ((one or single) adj (Vth or "V.sub.th"))	USPAT; US-PGP UB	2004/09/11 13:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L26	0	(Schmitt or Schmidt or hysteresis) same ((one or single) adj (Vtn or "V.sub.tn"))	USPAT; US-PGP UB	2004/09/11 13:29
26	BRS	L27	0	(Schmitt or Schmidt or hysteresis) same ((one or single) adj (Vtp or "V.sub.tp"))	USPAT; US-PGP UB	2004/09/11 13:29
27	BRS	L28	16	24 and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 13:36
28	BRS	L29	38	24 and (327/\$ or 323/\$ or 365/\$).ccls. not 28	USPAT; US-PGP UB	2004/09/11 13:37
29	BRS	L30	87	(less or lower or smaller) near5 (POR or POK or PWROK or "PWR.sub.OK" or PWRGOOD or "PWR.sub.GOOD")	USPAT; US-PGP UB	2004/09/11 13:56
30	BRS	L31	30	(less or lower or smaller) near5 (poweron or powerup or turnon)	USPAT; US-PGP UB	2004/09/11 13:45
31	BRS	L32	795	(less or lower or smaller) near5 ((power or turn\$3) adj (on or up))	USPAT; US-PGP UB	2004/09/11 13:46
32	BRS	L33	471	(less or lower or smaller) near5 (PU or PUR or VPU or "V.sub.PU" or VPUR or "V.sub.PUR")	USPAT; US-PGP UB	2004/09/11 13:47
33	BRS	L34	47	(30 or 31 or 32 or 33) and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 13:57
34	BRS	L35	62567	(less or low\$2 or small\$2) near5 pulse	USPAT; US-PGP UB	2004/09/11 13:59
35	BRS	L36	546	35 with compensat\$3	USPAT; US-PGP UB	2004/09/11 13:57
36	BRS	L37	7	36 and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 14:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L38	10774	(narrower or quicker or shorter) near5 pulse	USPAT; US-PGP UB	2004/09/11 14:00
38	BRS	L39	139	38 with compensat\$3	USPAT; US-PGP UB	2004/09/11 14:00
39	BRS	L40	0	39 and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 14:21
40	BRS	L41	403	(35 or 38) and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 14:01
41	BRS	L42	396	41 not 37	USPAT; US-PGP UB	2004/09/11 14:01
42	BRS	L43	112	17 and 42	USPAT; US-PGP UB	2004/09/11 14:18
43	BRS	L44	42532	compensat\$3 near5 (temperature\$1 or temp\$1)	USPAT; US-PGP UB	2004/09/11 14:19
44	BRS	L45	1057	44 with (power adj (supply or source))	USPAT; US-PGP UB	2004/09/11 14:20
45	BRS	L46	557	44 with (voltage adj (supply or source))	USPAT; US-PGP UB	2004/09/11 14:20
46	BRS	L47	737	44 with (supply adj voltage)	USPAT; US-PGP UB	2004/09/11 14:20
47	BRS	L48	225	44 with (Vdd or "V.sub.dd" or Vcc or "V.sub.cc")	USPAT; US-PGP UB	2004/09/11 14:20
48	BRS	L49	213	(45 or 46 or 47 or 48) and (13 or 15 or 16)	USPAT; US-PGP UB	2004/09/11 14:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
49	BRS	L50	0	49 and 4	USPAT; US-PGP UB	2004/09/11 14:22
50	BRS	L51	0	49 and (poweron or powerup or turnon)	USPAT; US-PGP UB	2004/09/11 15:23
51	BRS	L52	2	49 and (POR or POK or PWROK or "PWR.sub.OK" or PWRGOOD or "PWR.sub.GOOD")	USPAT; US-PGP UB	2004/09/11 15:24
52	BRS	L53	10	49 and ((power or turn\$3) adj (on or up))	USPAT; US-PGP UB	2004/09/11 15:24
53	BRS	L54	0	49 and (PU or PUR or VPU or "V.sub.PU" or VPUR or "V.sub.PUR")	USPAT; US-PGP UB	2004/09/11 15:25
54	BRS	L55	0	49 and (PEN or "P.sub.EN" or PWREN or "PWR.sub.EN")	USPAT; US-PGP UB	2004/09/11 15:25
55	BRS	L56	11	52 or 53	USPAT; US-PGP UB	2004/09/11 14:30
56	BRS	L57	197	49 not (5 or 6 or 7 or 9 or 23 or 28 or 29 or 37 or 43 or 56)	USPAT; US-PGP UB	2004/09/11 15:23
57	BRS	L58	68	57 and (MOS or MOSFET or Fet)	USPAT; US-PGP UB	2004/09/11 14:32
58	BRS	L59	140	(13 or 15 or 16) and sleep\$3	USPAT; US-PGP UB	2004/09/11 14:49
59	BRS	L60	27	17 and 59	USPAT; US-PGP UB	2004/09/11 14:40
60	BRS	L61	773	(13 or 15 or 16) and (stby or standby or stand-by)	USPAT; US-PGP UB	2004/09/11 15:01

	Type	L #	Hits	Search Text	DBs	Time Stamp
61	BRS	L62	69	17 and 61	USPAT; US-PGP UB	2004/09/11 14:50
62	BRS	L63	57	62 not 60	USPAT; US-PGP UB	2004/09/11 14:50
63	BRS	L64	130	(13 or 15 or 16) and (brown\$3 or brown-out)	USPAT; US-PGP UB	2004/09/11 15:02
64	BRS	L65	31	17 and 64	USPAT; US-PGP UB	2004/09/11 15:02
65	BRS	L66	21	65 not (60 or 63)	USPAT; US-PGP UB	2004/09/11 15:06
66	BRS	L67	425	(13 or 15 or 15) and (low adj power)	USPAT; US-PGP UB	2004/09/11 15:07
67	BRS	L68	87	17 and 67 not (60 or 63 or 66)	USPAT; US-PGP UB	2004/09/11 15:22
68	BRS	L69	1066	(59 or 61 or 64 or 67) not (60 or 63 or 66 or 68)	USPAT; US-PGP UB	2004/09/11 15:23
69	BRS	L70	1060	69 not (5 or 6 or 7 or 9 or 23 or 28 or 29 or 37 or 43 or 56)	USPAT; US-PGP UB	2004/09/11 15:23
70	BRS	L71	7	70 and (poweron or powerup or turnon)	USPAT; US-PGP UB	2004/09/11 15:24
71	BRS	L72	72	70 and (POR or POK or PWROK or "PWR.sub.OK" or PWRGOOD or "PWR.sub.GOOD")	USPAT; US-PGP UB	2004/09/11 15:24
72	BRS	L73	201	70 and ((power or turn\$3) adj (on or up))	USPAT; US-PGP UB	2004/09/11 15:24

	Type	L #	Hits	Search Text	DBs	Time Stamp
73	BRS	L74	9	70 and (PU or PUR or VPU or "V.sub.PU" or VPUR or "V.sub.PUR")	USPAT; US-PGP UB	2004/09/11 15:25
74	BRS	L75	8	70 and (PEN or "P.sub.EN" or PWREN or "PWR.sub.EN")	USPAT; US-PGP UB	2004/09/11 15:25
75	BRS	L76	40	(71 or 72 or 74 or 75) and 73	USPAT; US-PGP UB	2004/09/11 15:35
76	BRS	L77	161	73 not 76	USPAT; US-PGP UB	2004/09/11 15:35
77	BRS	L78	60	77 and (MOS or MOSFET or FET)	USPAT; US-PGP UB	2004/09/11 15:41
78	BRS	L79	101	77 not 78	USPAT; US-PGP UB	2004/09/11 15:41